

First Example Title.

Variable name	Value
auto_increment_offset	1
autocommit	ON
automatic_sp_privileges	ON
back_log	50
basedir	/usr
big_tables	OFF
binlog_cache_size	32768
binlog_direct_non_transactional_updates	OFF
binlog_format	STATEMENT
binlog_stmt_cache_size	32768
bulk_insert_buffer_size	8388608
character_set_client	latin1
character_set_connection	latin1
character_set_database	latin1
character_set_filesystem	binary
character_set_results	latin1
character_set_server	latin1
character_set_system	utf8
character_sets_dir	/usr/share/mysql/charsets/
collation_connection	latin1_swedish_ci
collation_database	latin1_swedish_ci
collation_server	latin1_swedish_ci
completion_type	NO_CHAIN
concurrent_insert	AUTO
connect_timeout	10
datadir	/var/lib/mysql/
date_format	%Y-%m-%d
datetime_format	%Y-%m-%d %H:%i:%s
default_storage_engine	InnoDB
default_week_format	0
delay_key_write	ON
delayed_insert_limit	100
delayed_insert_timeout	300
delayed_queue_size	1000
div_precision_increment	4
engine_condition_pushdown	ON
error_count	0
event_scheduler	OFF
expire_logs_days	10
external_user	
flush	OFF
flush_time	0
foreign_key_checks	ON
ft_boolean_syntax	+ -><()~*:""&
ft_max_word_len	84
ft_min_word_len	4
ft_query_expansion_limit	20
ft_stopword_file	(built-in)
general_log	OFF
general_log_file	/var/lib/mysql/drupal8.log
group_concat_max_len	1024
have_compress	YES
have_crypt	YES
have_csv	YES
have_dynamic_loading	YES
have_geometry	YES
have_innodb	YES
have_ndbcluster	NO
have_openssl	DISABLED
have_partitioning	YES
have_profiling	YES
have_query_cache	YES
have_rtree_keys	YES
have_ssl	DISABLED
have_symlink	YES
hostname	drupal8
identity	0
ignore_builtin_innodb	OFF
init_connect	
init_file	
init_slave	
innodb_adaptive_flushing	ON
innodb_adaptive_hash_index	ON
innodb_additional_mem_pool_size	8388608

First Example Title.

Variable name	Value
innodb_autoextend_increment	8
innodb_autoinc_lock_mode	1
innodb_buffer_pool_instances	1
innodb_buffer_pool_size	134217728
innodb_change_buffering	all
innodb_checksums	ON
innodb_commit_concurrency	0
innodb_concurrency_tickets	500
innodb_data_file_path	ibdata1:10M:autoextend
innodb_data_home_dir	
innodb_doublewrite	ON
innodb_fast_shutdown	1
innodb_file_format	Antelope
innodb_file_format_check	ON
innodb_file_format_max	Antelope
innodb_file_per_table	OFF
innodb_flush_log_at_trx_commit	1
innodb_flush_method	
innodb_force_load_corrupted	OFF
innodb_force_recovery	0
innodb_io_capacity	200
innodb_large_prefix	OFF
innodb_lock_wait_timeout	50
innodb_locks_unsafe_for_binlog	OFF
innodb_log_buffer_size	8388608
innodb_log_file_size	5242880
innodb_log_files_in_group	2
innodb_log_group_home_dir	./
innodb_max_dirty_pages_pct	75
innodb_max_purge_lag	0
innodb_mirrored_log_groups	1
innodb_old_blocks_pct	37
innodb_old_blocks_time	0
innodb_open_files	300
innodb_print_all_deadlocks	OFF
innodb_purge_batch_size	20
innodb_purge_threads	0
innodb_random_read_ahead	OFF
innodb_read_ahead_threshold	56
innodb_read_io_threads	4
innodb_replication_delay	0
innodb_rollback_on_timeout	OFF
innodb_rollback_segments	128
innodb_spin_wait_delay	6
innodb_stats_method	nulls_equal
innodb_stats_on_metadata	ON
innodb_stats_sample_pages	8
innodb_strict_mode	OFF
innodb_support_xa	ON
innodb_sync_spin_loops	30
innodb_table_locks	ON
innodb_thread_concurrency	0
innodb_thread_sleep_delay	10000
innodb_use_native_aio	ON
innodb_use_sys_malloc	ON
innodb_version	5.5.41
innodb_write_io_threads	4
insert_id	0
interactive_timeout	28800
join_buffer_size	131072
keep_files_on_create	OFF
key_buffer_size	16777216
key_cache_age_threshold	300
key_cache_block_size	1024
key_cache_division_limit	100
large_files_support	ON
large_page_size	0
large_pages	OFF
last_insert_id	0
lc_messages	en_US
lc_messages_dir	/usr/share/mysql/
lc_time_names	en_US
license	GPL
local_infile	ON

First Example Title.

Variable_name	Value
lock_wait_timeout	31536000
locked_in_memory	OFF
log	OFF
log_bin	OFF
log_bin_trust_function_creators	OFF
log_error	/var/log/mysql/error.log
log_output	FILE
log_queries_not_using_indexes	OFF
log_slave_updates	OFF
log_slow_queries	OFF
log_warnings	1
long_query_time	10.000000
low_priority_updates	OFF
lower_case_file_system	OFF
lower_case_table_names	0
max_allowed_packet	16777216
max_binlog_cache_size	18446744073709547520
max_binlog_size	104857600
max_binlog_stmt_cache_size	18446744073709547520
max_connect_errors	10
max_connections	151
max_delayed_threads	20
max_error_count	64
max_heap_table_size	16777216
max_insert_delayed_threads	20
max_join_size	18446744073709551615
max_length_for_sort_data	1024
max_long_data_size	16777216
max_prepared_stmt_count	16382
max_relay_log_size	0
max_seeks_for_key	18446744073709551615
max_sort_length	1024
max_sp_recursion_depth	0
max_tmp_tables	32
max_user_connections	0
max_write_lock_count	18446744073709551615
metadata_locks_cache_size	1024
min_examined_row_limit	0
multi_range_count	256
mysam_data_pointer_size	6
mysam_max_sort_file_size	9223372036853727232
mysam_mmap_size	18446744073709551615
mysam_recover_options	BACKUP
mysam_repair_threads	1
mysam_sort_buffer_size	8388608
mysam_stats_method	nulls_unequal
mysam_use_mmap	OFF
net_buffer_length	16384
net_read_timeout	30
net_retry_count	10
net_write_timeout	60
new	OFF
old	OFF
old_alter_table	OFF
old_passwords	OFF
open_files_limit	1024
optimizer_prune_level	1
optimizer_search_depth	62
optimizer_switch	index_merge=on,index_merge_union=on,index_merge_sort_union=on,index_merge_intersection=on,engine_condition_pushdown=on
performance_schema	OFF
performance_schema_events_waits_history_long_size	10000
performance_schema_events_waits_history_size	10
performance_schema_max_cond_classes	80
performance_schema_max_cond_instances	1000
performance_schema_max_file_classes	50
performance_schema_max_file_handles	32768
performance_schema_max_file_instances	10000
performance_schema_max_mutex_classes	200
performance_schema_max_mutex_instances	1000000
performance_schema_max_rwlock_classes	30
performance_schema_max_rwlock_instances	1000000
performance_schema_max_table_handles	100000
performance_schema_max_table_instances	50000
performance_schema_max_thread_classes	50

First Example Title.

Variable name	Value
performance_schema_max_thread_instances	1000
pid_file	/var/run/mysqld/mysqld.pid
plugin_dir	/usr/lib/mysql/plugin/
port	3306
preload_buffer_size	32768
profiling	OFF
profiling_history_size	15
protocol_version	10
proxy_user	
pseudo_slave_mode	OFF
pseudo_thread_id	39
query_alloc_block_size	8192
query_cache_limit	1048576
query_cache_min_res_unit	4096
query_cache_size	16777216
query_cache_type	ON
query_cache_wlock_invalidate	OFF
query_prealloc_size	8192
rand_seed1	0
rand_seed2	0
range_alloc_block_size	4096
read_buffer_size	131072
read_only	OFF
read_rnd_buffer_size	262144
relay_log	
relay_log_index	
relay_log_info_file	relay-log.info
relay_log_purge	ON
relay_log_recovery	OFF
relay_log_space_limit	0
report_host	
report_password	
report_port	3306
report_user	
rpl_recovery_rank	0
secure_auth	OFF
secure_file_priv	
server_id	0
skip_external_locking	ON
skip_name_resolve	OFF
skip_networking	OFF
skip_show_database	OFF
slave_compressed_protocol	OFF
slave_exec_mode	STRICT
slave_load_tmpdir	/tmp
slave_max_allowed_packet	1073741824
slave_net_timeout	3600
slave_skip_errors	OFF
slave_transaction_retries	10
slave_type_conversions	
slow_launch_time	2
slow_query_log	OFF
slow_query_log_file	/var/lib/mysql/drupal8-slow.log
socket	/var/run/mysqld/mysqld.sock
sort_buffer_size	2097152
sql_auto_is_null	OFF
sql_big_selects	ON
sql_big_tables	OFF
sql_buffer_result	OFF
sql_log_bin	ON
sql_log_off	OFF
sql_low_priority_updates	OFF
sql_max_join_size	18446744073709551615
sql_mode	
sql_notes	ON
sql_quote_show_create	ON
sql_safe_updates	OFF
sql_select_limit	18446744073709551615
sql_slave_skip_counter	0
sql_warnings	OFF
ssl_ca	
ssl_capath	
ssl_cert	
ssl_cipher	

First Example Title.

Variable_name	Value
ssl_key	
storage_engine	InnoDB
stored_program_cache	256
sync_binlog	0
sync_frm	ON
sync_master_info	0
sync_relay_log	0
sync_relay_log_info	0
system_time_zone	GMT
table_definition_cache	400
table_open_cache	400
thread_cache_size	8
thread_concurrency	10
thread_handling	one-thread-per-connection
thread_stack	196608
time_format	%H:%i:%s
time_zone	SYSTEM
timed_mutexes	OFF
timestamp	1422531169
tmp_table_size	16777216
tmpdir	/tmp
transaction_alloc_block_size	8192
transaction_prealloc_size	4096
tx_isolation	REPEATABLE-READ
unique_checks	ON
updatable_views_with_limit	YES
version	5.5.41-0ubuntu0.14.04.1
version_comment	(Ubuntu)
version_compile_machine	x86_64
version_compile_os	debian-linux-gnu
wait_timeout	28800
warning_count	0

First Example Title.

Tables in mysql
db
event
func
general_log
help_category
help_keyword
help_relation
help_topic
host
ndb_binlog_index
plugin
proc
procs_priv
proxies_priv
servers
slow_log
tables_priv
time_zone
time_zone_leap_second
time_zone_name
time_zone_transition
time_zone_transition_type
user

Second Example Title.

Field	Type	Null	Key	Default	Extra
User	char(16)	NO	PRI		
Password	char(41)	NO			
Select_priv	enum('N','Y')	NO		N	
Insert_priv	enum('N','Y')	NO		N	
Update_priv	enum('N','Y')	NO		N	
Delete_priv	enum('N','Y')	NO		N	
Create_priv	enum('N','Y')	NO		N	
Drop_priv	enum('N','Y')	NO		N	
Reload_priv	enum('N','Y')	NO		N	
Shutdown_priv	enum('N','Y')	NO		N	
Process_priv	enum('N','Y')	NO		N	
File_priv	enum('N','Y')	NO		N	
Grant_priv	enum('N','Y')	NO		N	
References_priv	enum('N','Y')	NO		N	
Index_priv	enum('N','Y')	NO		N	
Alter_priv	enum('N','Y')	NO		N	
Show_db_priv	enum('N','Y')	NO		N	
Super_priv	enum('N','Y')	NO		N	
Create_tmp_table_priv	enum('N','Y')	NO		N	
Lock_tables_priv	enum('N','Y')	NO		N	
Execute_priv	enum('N','Y')	NO		N	
Repl_slave_priv	enum('N','Y')	NO		N	
Repl_client_priv	enum('N','Y')	NO		N	
Create_view_priv	enum('N','Y')	NO		N	
Show_view_priv	enum('N','Y')	NO		N	
Create_routine_priv	enum('N','Y')	NO		N	
Alter_routine_priv	enum('N','Y')	NO		N	
Create_user_priv	enum('N','Y')	NO		N	
Event_priv	enum('N','Y')	NO		N	
Trigger_priv	enum('N','Y')	NO		N	
Create_tablespace_priv	enum('N','Y')	NO		N	
ssl_type	enum('', 'ANY', 'X509', 'SPECIFIED')	NO			
ssl_cipher	blob	NO			
x509_issuer	blob	NO			
x509_subject	blob	NO			
max_questions	int(11) unsigned	NO		0	
max_updates	int(11) unsigned	NO		0	
max_connections	int(11) unsigned	NO		0	
max_user_connections	int(11) unsigned	NO		0	
plugin	char(64)	YES			
authentication_string	text	YES			

Second Example Title.

Hostname of Mysql Server	Username extended to widen table by using SQL statment	Some Hashed passwords
drupal8		
localhost	debian-sys-maint	*6F80E909DFDEC5B709E630DBD18ED72934E48542
localhost	root	*69156C3775BC63A03BDF56AD0B48E2BE5DF601DD
drupal8	root	*69156C3775BC63A03BDF56AD0B48E2BE5DF601DD
127.0.0.1	root	*69156C3775BC63A03BDF56AD0B48E2BE5DF601DD
::1	root	*69156C3775BC63A03BDF56AD0B48E2BE5DF601DD

Second Example Title.

Host	User	Password	Select_priv	Insert_priv	Update_priv	Delete_priv	Create_priv	Drop_priv	Reload_priv	Show_db_priv	Shutdown_priv	Process_priv	File_priv	Grant_priv	References_priv	Index_priv	Alter_priv	Show_db_priv	Super_priv	Create_tmp_tables_priv	Lock_tables_priv	Execute_priv	Replicate_priv	Rep_client_priv	Create_view_priv	Show_views_priv	Create_routine_priv	Alter_routine_priv	Create_user_priv	Event_priv	Trigger_priv	Create_table_space_priv	ssl_type	ssl_cipher	x509issuer	x509subject	max_questions	max_updates	max_connections	max_user_connections	plugin	authentication_string	Host	Db	User	Table_name	Grantor	Timestamp	Table_priv	Column_priv
No Rows returned																																																		

Second Example Title.

Host	User	Password	Select priv	Insert Priv	Update priv	Delete priv	Create priv	Reload priv	Shutdown priv	Process priv	File priv	Grant priv	References priv	Index priv
drupal8			N	N	N	N	N	N	N	N	N	N	N	N
localhost	debian-sys-maint	*6F80E909DFDEC5B709E630DB D18ED72934E48542	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
localhost	root	*69156C3775BC63A03BDF56AD0 B48E2BE5DF601DD	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
drupal8	root	*69156C3775BC63A03BDF56AD0 B48E2BE5DF601DD	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
127.0.0.1	root	*69156C3775BC63A03BDF56AD0 B48E2BE5DF601DD	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
::1	root	*69156C3775BC63A03BDF56AD0 B48E2BE5DF601DD	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y